

# Clinical Outcomes of Migraine Patients Receiving Calcitonin Gene-Related Peptide Antagonists from an Integrated Health System Specialty Pharmacy

Elizabeth Ilowiecki, PharmD, BCACP, CSP; Shreevidya Periyasamy, MS HIA; Caleb Chun MA; Carolkim Huynh, PharmD, CSP; Martha Stutsky, PharmD, BCPS; Kenny Yu, PharmD, MBA, ACE



SCAN ME

## BACKGROUND

- Migraine is a highly prevalent neurological disease affecting over 1 billion people worldwide. The Calcitonin Gene-Related Peptide (CGRP) antagonists block CGRP, a neuropeptide implicated in migraines. Clinical trials demonstrate that CGRP antagonists robustly reduce monthly migraine days by 33 to 43% compared to placebo in episodic and chronic migraine.
- Limited data exist to demonstrate the real-world clinical outcomes of migraine patients on CGRPs managed within integrated health system specialty pharmacies (HSSPs).
- The purpose of this analysis is to evaluate the percent reduction in patient-reported monthly migraine days of patients receiving CGRPs from an integrated health system specialty pharmacy (HSSP).

## METHODS

**Study Design:** Retrospective observational analysis of adult patients with episodic or chronic migraine receiving a CGRP from NYU Langone Health Specialty Pharmacy between January 21, 2023 and December 31, 2023.

- Inclusion Criteria:** Patients enrolled in the patient management service for  $\geq 4$  months with both a baseline and follow up number of monthly migraine days.
- Exclusion Criteria:** Patients receiving a CGRP with ICD-10 codes unrelated to episodic migraine, chronic migraine, migraine with aura, and migraine without aura

**Primary Outcome:** Reduction in patient reported monthly migraine days from baseline

**Data identification:** Data were collected through the electronic medical record or specialty pharmacy management system. Treatment duration was defined as number of days between the baseline and follow up assessment; medication adherence was measured by proportion of days covered (PDC).

**Analysis:** An ordinal logistic regression model was utilized to evaluate the impact of various patient factors on the change in month migraine days (improved, no change, declined).

## RESULTS


Within the study period, 643 patients meeting the inclusion criteria were identified for analysis. **Table 1** outlines the baseline patient characteristics and mean PDC of the cohort. An average reduction in monthly migraine days of 35.9% was observed in the entire cohort. Patients new to the CGRP medication demonstrated a 44.7% reduction in monthly migraine days (baseline 14.8 days) compared to a 21.3% reduction in existing to medication patients (baseline 8.9 days). A higher number of baseline migraine days and longer treatment duration were associated with a reduction in number of migraine days. Patients with episodic migraines were more likely to experience a reduction in migraine days compared to patients with chronic migraines.

**Table 1: Patient Characteristics**

Characteristic	N=643	p-value	OR <sup>3</sup>
Age (years) <sup>1</sup>	45	0.240	1.503
Sex (n, %)			
M	112 (17%)	-	-
F	531 (83%)	0.230	0.739
Medication (n, %)			
Aimovig (erenumab)	208 (32%)	-	-
Ajovy (fremanezumab)	316 (49%)	0.930	0.974
Emgality (galcanezumab)	119 (19%)	0.460	1.177
Insurance Type (n, %)			
Government	157 (24.4%)	-	-
Commerical	407 (63.3%)	0.620	1.116
Unknown/Other	79 (12.3%)		
Diagnosis			
Chronic Migraine	232 (36.1%)	-	-
Episodic Migraine	315 (49.0%)	<b>0.040</b>	1.498
Other Migraine	96 (14.9%)	<b>0.050</b>	1.744
Baseline Migraine Days <sup>1</sup>	11.86	<b>&lt;0.001</b>	1.061
Treatment Duration <sup>1</sup>	144.2	<b>0.020</b>	1.002
Medication Status			
New to medication	321 (49.9%)	<b>&lt;0.001</b>	3.001
Treatment experienced	322 (50.1%)	-	-
Out-of-Pocket Cost (OOPC) <sup>1</sup>	\$9.60	0.260	1.266
<b>Clinical Outcomes</b>			
PDC <sup>1</sup>	94.6%	0.690	1.062

<sup>1</sup>Mean <sup>2</sup>Median <sup>3</sup>Odds ratio

**Figure 1: Change in Average Monthly Migraine Days**



## CONCLUSION

- This real-world analysis demonstrated clinically meaningful reductions in monthly migraine days for migraine patients receiving CGRP antagonists managed within an integrated HSSP, consistent with clinical trial efficacy.
- Patients new to CGRP therapy demonstrated a more robust reduction in monthly migraine days compared to medication experienced patients. Higher baseline migraine frequency, longer treatment duration, and new user status were associated with greater likelihood of reduction.
- Overall, the findings provide real-world evidence supporting CGRP antagonists' effectiveness when managed within a HSSP care model.